FEROP0203USB

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of :

Anthony S. Scheibelhoffer et al.

Group Art Unit: 1714

Express Mail No.: EF297165779US

Examiner: E. Cain

Filed: Even Date Herewith

For:

POLYMER COMPOSITIONS COMPRISING POLYOLEFINS AND REACTION PRODUCTS OF A POLYOLEFIN AND AN UNSATURATED CARBOXYLIC

REAGENT AND ARTICLES MADE THEREFROM

PRELIMINARY AMENDMENT

BOX PATENT APPLICATION
Assistant Commissioner for Patents
Washington, D.C. 20231

Sir:

This continuation application is being filed concurrently with a Petition and Fee for an extension of time. Prior to the first Office Action, please amend the application as follows:

In the Claims

Please add the following new claims:

25. A polymer composition comprising (A) from about 35% to about 75% by weight of at least one olefin homo- or copolymer, (B) from about 2% to about 12% by weight of at least one reaction product of an alpha, beta unsaturated carboxylic ester, acid, or anhydride and a polyolefin, and (C) from 5% to about 40% by weight of filler (D) from about 1% to about 8% by weight of a copolymer of ethylene and an olefin, (E) from about 1% to about

8% by weight of at least one polyamide, or (F) mixtures of (D) and (E).

26. The composition of claim 25 wherein (D) is a copolymer of ethylene and an olefin.

REMARKS

Claims 25 and 26 have been added with this amendment. The amendments to the claims are fully supported in the specification and claims as originally filed.

Entry of the amendments and an early action on the merits with regard to claims 1-25 are solicited.

Respectfully submitted,

RENNER, OTTO, BOISSELLE & SKLAR, LLP

William C. Tritt

Reg. No. 32,510

1621 Euclid Avenue Nineteenth Floor Cleveland, Ohio 44115 (216) 621-1113

FEROP0203USB

APPENDIX

- 25. A polymer composition comprising (A) from about 35% to about 75% by weight of at least one olefin homo- or copolymer, (B) from about 2% to about 12% by weight of at least one reaction product of an alpha, beta unsaturated carboxylic ester, acid, or anhydride and a polyolefin, and (C) from 5% to about 40% by weight of filler (D) from about 1% to about 8% by weight of a copolymer of ethylene and an olefin, (E) from about 1% to about 8% by weight of at least one polyamide, or (F) mixtures of (D) and (E).
- 26. The composition of claim 25 wherein (D) is a copolymer of ethylene and an olefin.